

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.39

LIBRARY,
U. S. Department of Agriculture
Washington, D. C.

TRADE LIST

Old Colony Nursery

FALL, 1908

T. R. WATSON

Plymouth, Massachusetts

TRADE LIST

Old Colony Nursery

FALL, 1908

T. R. WATSON

Plymouth, Massachusetts

CANCELS ALL PREVIOUS LISTS.

FALL TRADE LIST, 1908.

1840 Old Colony Nursery 1908

T. R. Watson

Plymouth, Massachusetts.

Prices on this list net and subject to stock not being sold.

GUARANTEE.—We take the greatest pains to have every plant marked true to name. Any plant incorrectly marked will be promptly replaced, or money returned. We do not guarantee any more than the original cost of the plant.

We can not guarantee plants to live, at the prices of this catalogue. We send out young, thrifty plants, which should live if properly planted and cared for.

Delivery of all packages to freight or express free.

We do not pay either freight or express.

All plants at the risk of the purchaser after they are delivered to the public carrier.

Please say whether you will have your order sent by freight or by express.

Meeting dates: Where sufficient notice is given, weather permitting, plants will be shipped on a given date.

Please give date on which you want them shipped, and not the date on which you want them to arrive.

No man living can tell how long it will take a freight package to reach any point in the country, at a moment's notice.

On orders received before the middle of March, the schedule time of freight will be ascertained, if desired.

Express packages arrive in Boston on day of shipment.

Express packages arrive in New York on following day.

Freight packages arrive in Boston the day after shipment.

Freight packages due to arrive in New York the day after shipment.

TERMS.—Cash with order or satisfactory references, except where parties are known.

Bills of regular customers become due June 1st for Spring shipments; January 1st for Fall shipments.

Box, 10 cents to 50 cents. Bales, 25 cents to \$1.50.

CASES.

| | | | |
|-----------------------------|--------|-----------------------------|--------|
| 2 ft. by 2 ft. by 10 ft., | \$2.00 | 20 in. by 20 in. by 10 ft., | \$1.75 |
| 2 ft. by 2 ft. by 8 ft., | 1.75 | 20 in. by 20 in. by 8 ft., | 1.50 |
| 2 ft. by 2 ft. by 6 ft., | 1.50 | 20 in. by 20 in. by 6 ft., | 1.25 |
| 2 ft. by 2 ft. by 5 ft., | 1.25 | 20 in. by 20 in. by 5 ft., | 1.00 |
| 2 ft. by 2 ft. by 4 ft., | 1.00 | 20 in. by 20 in. by 4 ft., | .75 |
| 16 in. by 16 in. by 10 ft., | \$1.50 | 16 in. by 16 in. by 6 ft., | 1.00 |
| 16 in. by 16 in. by 8 ft., | 1.25 | 16 in. by 16 in. by 5 ft., | .75 |
| 16 in. by 16 in. by 4 ft., | .50 | | |

DECIDUOUS TREES AND SHRUBS.

Fifty at the rate for 100.

Five at the rate for 10.

Less than five at the rate for ten, where the price is twenty-five cents or over.

Less than five, add five cents each to rate for ten, where the rate for ten is less than twenty-five cents.

Prices subject to stock not being sold.

| | | Per 10 | Per 100 |
|-----|---|--------------|------------|
| 175 | <i>Acer dasycarpum</i> , Silver Maple, | 6 to 7 ft. | 1.25 10.00 |
| 20 | <i>Acer dasycarpum</i> , var. <i>Wieri laciniatum</i> , | | |
| | ¾ to 1 in. caliper, | 8 to 10 ft. | 5.00 |
| 100 | <i>Acer palmatum</i> , Japanese Maple (type) | 5 to 7 ft. | 5.00 40.00 |
| 10 | <i>Acer Pennsylvanicum</i> (<i>striatum</i>) | 6 to 8 ft. | 5.00 |
| 125 | <i>Acer Pennsylvanicum</i> (<i>striatum</i>) | 4 to 5 ft. | 4.50 40.00 |
| 100 | <i>Acer Pennsylvanicum</i> (<i>striatum</i>) | 3 ft. | 3.00 25.00 |
| 100 | <i>Acer platinoides</i> , | 8 to 10 ft. | 7.50 60.00 |
| 150 | <i>Acer platinoides</i> , | 5 to 6 ft. | 2.50 20.00 |
| 50 | <i>Acer rubrum</i> , | 5 to 6 ft. | 4.50 40.00 |
| 100 | <i>Acer rubrum</i> , | 4 to 5 ft. | 3.50 30.00 |
| 100 | <i>Acer saccharinum</i> , Sugar Maple, ¾ to 1 in. | 9 to 10 ft. | 6.00 50.00 |
| 100 | <i>Acer saccharinum</i> , | 6 to 7 ft. | 3.50 30.00 |
| 25 | <i>Acer spicatum</i> , | 3 to 4 ft. | 3.50 |
| 200 | <i>Acer spicatum</i> , | 2 to 3 ft. | 3.00 25.00 |
| 50 | <i>Acer Schwedleri</i> , | 5 to 7 ft. | 4.50 40.00 |
| 10 | <i>Acer Tartaricum</i> , var. <i>Ginnala</i> , | 7 to 8 ft. | 5.00 |
| 75 | <i>Acer Tartaricum</i> , var. <i>Ginnala</i> , | 5 to 6 ft. | 3.50 |
| 50 | <i>Acer Tartaricum</i> , var. <i>Ginnala</i> , | 3 to 4 ft. | 2.00 |
| 5 | <i>Æsculus Hippocastaneum</i> , heavy, | 9 to 10 ft. | 10.00 |
| 45 | <i>Æsculus Hippocastaneum</i> , | 7 to 8 ft. | 5.00 |
| 24 | <i>Æsculus Hippocastaneum</i> ,, <i>rubicunda</i> , | 7 to 8 ft. | 7.50 |
| 10 | <i>Æsculus macrostachya</i> , | 3 to 4 ft. | 6.00 |
| 150 | <i>Alnus incana</i> , | 4 to 5 ft. | 2.50 20.00 |
| 250 | <i>Alnus incana</i> , | 2 to 3 ft. | 2.00 15.00 |
| 200 | <i>Amelanchier Canadensis</i> , | 18 to 24 in. | 1.00 8.00 |
| 40 | <i>Amelanchier Canadensis rotundifolia</i> , | 18 to 24 in. | 1.50 |
| 20 | <i>Andromeda arborea</i> , | 2 to 3 ft. | 3.50 |
| 25 | <i>Andromeda Mariana</i> , | 18 to 24 in. | 2.50 |
| 10 | <i>Andromeda polifolia</i> , | 10 to 12 in. | 4.00 |
| 100 | <i>Andromeda racemosa</i> , | 10 to 12 in. | 1.25 10.00 |
| 300 | <i>Aralia pentaphylla</i> , | 2 to 3 ft. | 1.00 8.00 |
| 20 | <i>Aralia spinosa</i> , | 2 to 3 ft. | 2.00 |
| 100 | <i>Azalea Amoena</i> , | 10 to 12 in. | 3.50 30.00 |
| 50 | <i>Azalea arborescens</i> , | 15 to 18 in. | 2.50 |
| 10 | <i>Azalea calendulacea</i> , | 2 ft. | 5.00 |
| 40 | <i>Azalea calendulacea</i> , | 12 to 18 in. | 2.50 |

| | | Per 10 | Per 100 |
|---|---------------------|--------|---------|
| 100 Azalea mollis, | 15 to 18 in. | 2.50 | |
| 20 Azalea Vaseyi, | 12 to 18 in. | 3.00 | |
| 50 Azalea viscosum, | 18 to 24 in. | 4.00 | |
| 1000 Berberis Thunbergii, | 18 to 24 in. | 1.00 | 6.00 |
| 2000 Berberis Thunbergii, | 12 to 18 in. | .75 | 5.00 |
| 1000 Berberis Thunbergii, seed bed, | 6 to 12 in. | | 1.00 |
| 300 Berberis vulgaris, | 18 to 24 in. | .70 | 6.00 |
| 1200 Berberis vulgaris purpurea, | 2 to 3 ft. | 1.00 | 9.00 |
| 200 Betula alba, | 4 to 5 ft. | 1.50 | 12.00 |
| 200 Betula alba, | 3 to 4 ft. | 1.00 | 9.00 |
| 50 Betula alba, var. laciniata, | 3 to 4 ft. | 2.00 | |
| 100 Betula nigra, | 5 to 6 ft. | 3.50 | 30.00 |
| 250 Betula nigra, | 3 to 5 ft. | 3.00 | 25.00 |
| 450 Betula papyrifera, | 4 to 5 ft. | 3.00 | 25.00 |
| 1000 Betula papyrifera, | 2 to 3 ft. | 2.00 | 15.00 |
| 50 Caragana arborescens, | 3 to 4 ft. | 1.50 | |
| 500 Caragana arborescens, | 2 to 3 ft. | 1.25 | 10.00 |
| 30 Calycanthus floridus, | 2 ft. | 1.00 | |
| 500 Calycanthus floridus, | 12 to 18 in. | .75 | 8.00 |
| 50 Caryopteris Mastacanthus, blue spiræa, | 15 to 20 in. | 1.00 | |
| 100 Castanea sativa, American Chestnut, | 4 to 5 ft. | 1.50 | 12.00 |
| 10 Castanea pumila, Chinquapin, | 2 to 3 ft. | 2.50 | |
| 30 Catalpa speciosa, | 1½ to 2 in. caliper | 3.50 | |
| 25 Catalpa speciosa, | 6 to 7 ft. | 1.20 | |
| 300 Catalpa speciosa, | 3 to 5 ft. | 1.00 | 8.00 |
| 125 Ceanothus Americanus, | 2 ft. | 1.75 | 15.00 |
| 800 Ceanothus Americanus, | 12 to 18 in. | 1.00 | 8.00 |
| 45 Celtis occidentalis, | 6 to 8 ft. | 2.50 | |
| 15 Cercidiphyllum Japonicum, | 8 to 10 ft. | 7.50 | |
| 6 Cercidiphyllum Japonicum, | 4 to 5 ft. | 5.00 | |
| 100 Cercis Canadensis, | 4 to 5 ft. | 3.00 | 25.00 |
| 100 Cercis Canadensis, | 2 to 3 ft. | 1.50 | 12.00 |
| 50 Chionanthus Virginica, | 2 to 3 ft. | 1.50 | |
| 50 Cladrastis tinctoria (Virgilea lutea) | 5 to 6 ft. | 4.00 | |
| 50 Cladrastis tinctoria (Virgilea lutea) | 4 to 5 ft. | 3.50 | |
| 250 Clethra alnifolia, | 18 to 24 in. | 1.00 | 8.00 |
| 800 Clethra alnifolia, | 12 to 15 in. | .50 | 4.00 |
| 50 Cornus florida, | 3 to 4 ft. | 2.50 | |
| 600 Cornus florida, | 2 to 3 ft. | 1.75 | 15.00 |
| 75 Cornus florida rubra, | 3 to 4 ft. | 6.00 | |
| 15 Cornus Mas., | 5 to 6 ft. | 2.50 | |
| 60 Cornus Mas., | 2 to 3 ft. | 1.75 | 15.00 |
| 150 Cornus paniculata, | 3 to 4 ft. | 1.75 | 15.00 |
| 400 Cornus paniculata, | 2 to 3 ft. | 1.25 | 10.00 |
| 100 Cornus sanguinea, | 4 to 5 ft. | 1.50 | 12.00 |
| 200 Cornus sanguinea, | 18 to 24 in. | .75 | 6.00 |

| | | Per 10 | Per 100 |
|------|---|--------------|------------|
| 500 | Cornus sericea, light, | 2 ft. | 1.00 8.00 |
| 550 | Cornus stolonifera, var. Siberica, | 2 to 3 ft. | 1.00 8.00 |
| 25 | Cornus stolonifera, var. flaviramea, | 2 to 3 ft. | 1.50 |
| 150 | Cornus stolonifera, var. flaviramea, | 18 to 24 in. | 1.00 9.00 |
| 50 | Crataegus cordata, | 2 to 3 ft. | 2.00 15.00 |
| 10 | Crataegus mollis, | 5 to 6 ft. | 1.50 10.00 |
| 50 | Crataegus mollis, | 4 to 5 ft. | 1.00 8.00 |
| 250 | Desmodium penduliflorum, purple, | 2 to 3 ft. | 1.75 15.00 |
| 150 | Deutzia gracilis, stocky, | 18 in. | .75 6.00 |
| 400 | Deutzia gracilis, stocky, | 12 to 18 in. | .50 4.00 |
| 10 | Deutzia parviflora, | 2 to 3 ft. | 2.00 |
| 200 | Deutzia scabra, dble. rose, | 3 to 4 ft. | 1.00 8.00 |
| 200 | Deutzia scabra, dble. rose, | 2 to 3 ft. | .75 6.00 |
| 200 | Deutzia scabra, dble. white, | 3 to 4 ft. | 1.00 8.00 |
| 200 | Deutzia scabra, dble. white, | 2 to 3 ft. | .75 6.00 |
| 200 | Deutzia scabra, Fortunei, single white, | 3 to 4 ft. | 1.00 8.00 |
| 200 | Deutzia scabra, Fortunei, single white, | 2 to 3 ft. | .75 6.00 |
| 200 | Deutzia scabra, Pride of Rochester, | 3 to 4 ft. | 1.00 8.00 |
| 200 | Deutzia scabra, Pride of Rochester, | 2 to 3 ft. | .75 6.00 |
| 40 | Eleagnus hortensis, Bohemian Olive, | 2 to 3 ft. | 1.25 |
| 20 | Eleagnus longipes, | 3 to 4 ft. | 1.50 |
| 20 | Euonymus Europæus, | 2 to 3 ft. | 1.00 |
| 50 | Exochorda grandiflora, | 2 to 3 ft. | 1.50 |
| 50 | Fagus ferruginea, | 2 to 3 ft. | 3.00 |
| 30 | Fagus sylvatica, fine, | 10 to 15 ft. | 10.00 |
| 50 | Fagus sylvatica, fine, | 9 to 10 ft. | 7.50 |
| | Fagus sylvatica col., seedlings, | 1 to 2 ft. | .75 5.00 |
| 20 | Fagus sylvatica, var. weeping, | 2 to 3 ft. | 10.00 |
| 5 | Fagus sylvatica purpurea, Rivers, | 3 to 4 ft. | 4.00 |
| 650 | Forsythia Fortunei, heavy trans., '08, | 4 to 5 ft. | 1.75 15.00 |
| 200 | Forsythia Fortunei, heavy, trans., '08, | 3 ft. | 1.00 8.00 |
| 500 | Forsythia Fortunei, light, | 2 to 3 ft. | .75 6.00 |
| 350 | Forsythia intermedia, heavy, trans., '08, | 4 to 5 ft. | 1.75 15.00 |
| 700 | Forsythia intermedia, | 2 to 3 ft. | 1.00 8.00 |
| 100 | Forsythia suspensa, | 4 to 5 ft. | 1.75 15.00 |
| 1200 | Forsythia suspensa, | 2 to 3 ft. | 1.00 8.00 |
| 30 | Fraxinus Americana, 1½ to 2 in. caliper, | 10 to 12 ft. | 5.00 |
| 20 | Fraxinus pubescens, 1½ to 2 in. caliper, | 12 to 15 ft. | 10.00 |
| 4 | Ginkgo biloba, | 5 to 7 ft. | 3.00 |
| 40 | Ginkgo biloba, | 3 to 4 ft. | 1.50 |
| 25 | Gymnocladus Canadensis, | 5 to 6 ft. | 2.00 |
| 50 | Halesia tetraptera, | 3 to 5 ft. | 2.00 |
| 100 | Hamamelis Virginiana, | 2 to 3 ft. | 1.25 12.00 |
| 250 | Hamamelis Virginiana, | 18 to 24 in. | 1.00 10.00 |
| 25 | Hibiscus Syriacus, assorted, | 4 to 6 ft. | 2.50 |
| 100 | Hippophae rhamnoides, | 3 to 4 ft. | 1.50 12.00 |

| | | Per 10 | Per 100 |
|--|--------------|--------|---------|
| 500 Hippophae rhamnoides, | 2 to 3 ft. | 1.25 | 10.00 |
| 20 Hydrangea paniculata, | 3 to 4 ft. | 2.00 | |
| 300 Hydrangea paniculata grandiflora, | 2 to 3 ft. | 1.00 | 8.00 |
| 300 Hydrangea paniculata grandiflora, | 18 to 24 in. | .75 | 6.00 |
| 150 Hypericum aureum, | 18 to 24 in. | 2.00 | 15.00 |
| 30 Hypericum prolificum, | 18 to 24 in. | 1.00 | 8.00 |
| 10 Ilex verticillata, clumps, | 3 to 4 ft. | 10.00 | |
| 50 Ilex verticillata, | 2 to 3 ft. | 1.50 | |
| 350 Ilex verticillata, | 18 to 24 in. | 1.25 | 10.00 |
| 20 Juglans cinerea, Butternut, | 6 to 7 ft. | 2.00 | |
| 25 Juglans cinerea, Butternut, | 5 to 6 ft. | 1.50 | |
| 10 Juglans nigra, | 5 to 6 ft. | 1.50 | |
| 100 Jasminum Nudiflorum, | 2 to 3 ft. | 2.00 | 15.00 |
| 50 Kalmia latifolia, | 12 to 18 in. | 4.00 | |
| 50 Kerria Japonica, single yellow, | 2 to 3 ft. | 1.50 | 12.00 |
| 100 Kerria Japonica, variegated, | 18 to 24 in. | 1.50 | 12.00 |
| 200 Kerria Japonica, variegated, | 12 to 18 in. | 1.25 | 10.00 |
| 50 Kœlreuteria paniculata, | 8 to 10 ft. | 5.00 | |
| 25 Kœlreuteria paniculata, | 7 to 8 ft. | 3.50 | |
| 20 Leucothoe Catesbaei, | 18 to 24 in. | 4.00 | |
| 75 Ligustrum ciliatum, stocky, fine, (Media) | 3 to 4 ft. | 1.00 | 6.00 |
| 1200 Ligustrum, Ibota, | 2 to 3 ft. | .75 | 7.00 |
| 1000 Ligustrum Ibota, 1 year, | 12 to 18 in. | .60 | 5.00 |
| 1000 Ligustrum ovalifolium, | 2 to 3 ft. | .75 | 5.00 |
| 500 Ligustrum ovalifolium, one year, | 12 to 18 in. | | 1.50 |
| 1000 Ligustrum Regelianum, | 2 to 3 ft. | 1.00 | 9.00 |
| 800 Ligustrum Regelianum, | 24 to 30 in. | .90 | 8.00 |
| 1000 Ligustrum Regelianum, one year, | 12 to 18 in. | | 5.00 |
| 600 Ligustrum vulgare, | 2 to 3 ft. | .75 | 5.00 |
| 30 Lindera benzoin, | 2 to 3 ft. | 1.50 | |
| 10 Liquidamber styraciflua, | 4 to 5 ft. | 3.00 | |
| 50 Liriodendron Tulipifera, Tulip Tree, | 5 to 6 ft. | 2.00 | |
| 100 Liriodendron Tulipifera, Tulip Tree, | 3 to 4 ft. | 1.25 | 10.00 |
| 200 Lonicera Bella candida, | 3 to 4 ft. | 1.50 | 12.00 |
| 200 Lonicera Bella rosea, | 3 to 4 ft. | 1.50 | 12.00 |
| 100 Lonicera Bella, atrorosea, | 3 to 4 ft. | 1.50 | 12.00 |
| 18 Lonicera Chrysantha, | 2 to 3 ft. | 2.00 | |
| 25 Lonicera Korolkowii, | 5 to 6 ft. | 2.00 | 15.00 |
| 150 Lonicera Korolkowii, | 3 to 4 ft. | 1.50 | 12.00 |
| 50 Lonicera Morrowi, heavy, | 3 to 4 ft. | 1.25 | 10.00 |
| 200 Lonicera Morrowi, light, | 2 to 3 ft. | 1.00 | 8.00 |
| 50 Lonicera Ruprechtiana, heavy, | 5 to 6 ft. | 1.75 | 15.00 |
| 250 Lonicera Ruprechtiana, | 2 to 3 ft. | 1.25 | 10.00 |
| 25 Lycium vulgare, | 2 to 3 ft. | 1.00 | |
| 20 Magnolia acuminate, | 5 to 6 ft. | 2.50 | |
| 30 Magnolia acuminate, | 4 to 5 ft. | 2.00 | |

| | | Per 10 | Per 100 |
|-----|---|----------------|------------|
| 20 | Magnolia tripetala, | 4 to 5 ft. | 3.00 |
| 25 | Morus, Mulberry, Downing, | 5 to 6 ft. | 3.00 |
| 500 | Myrica Cerifera, | 12 to 18 in. | 1.50 12.00 |
| 100 | Myrica asplenifolia, | 10 to 15 in. | 1.00 8.00 |
| 400 | Philadelphus coronarius, | 3 to 4 ft. | 1.50 12.00 |
| 100 | Philadelphus grandiflorus, | 3 to 4 ft. | 1.50 12.00 |
| 500 | Physocarpus opulifolia, | 2 to 3 ft. | 1.25 10.00 |
| 200 | Physocarpus opulifolia aurea, | 2 to 3 ft. | 1.00 8.00 |
| 300 | Physocarpus opulifolia aurea, | 18 to 24 in. | .75 6.00 |
| 20 | Populus balsamifera, | 8 to 10 ft. | 2.50 |
| 50 | Populus balsamifera, | 5 to 7 ft. | 1.25 10.00 |
| 350 | Populus monilifera, | 5 to 6 ft. | 1.00 8.00 |
| 75 | Populus monilifera, | 10 ft. | 2.50 |
| 300 | Populus nigra, var. Italica (Lombardy) | 8 to 10 ft. | 2.50 20.00 |
| 700 | Populus nigra, var. Italica, | 5 to 6 ft. | 1.25 10.00 |
| 75 | Prunus Americana, | 5 to 7 ft. | 2.50 20.00 |
| 3 | Prunus avium fl. pl. Anthony Waterer, | 3 in. caliper, | |
| | standards, \$5.00 each | | |
| 275 | Prunus maritima, | 3 to 4 ft. | 2.50 20.00 |
| 500 | Prunus maritima, | 2 to 3 ft. | 1.75 15.00 |
| 25 | Prunus Pissardi, | 4 to 6 ft. | 2.00 |
| 50 | Prunus Padus, | 6 to 8 ft. | 1.25 10.00 |
| 40 | Prunus Padus, | 5 to 6 ft. | 1.00 8.00 |
| 2 | Prunus pendula, Weeping, Rose flowered Japanese | | |
| | Cherry, 7 to 8 ft., \$2.00 each | | |
| 4 | Prunus pendula, Weeping, Rose flowered Japanese | | |
| | Cherry, 4 to 5 ft., \$1.00 each | | |
| 50 | Pyrus Americana, Am. Mt. Ash, | 3 to 4 ft. | 2.00 |
| 50 | Pyrus Aucuparia, European Mt. Ash, | 7 to 8 ft. | 2.50 |
| 250 | Pyrus arbutifolia, | 18 to 24 in. | 1.25 10.00 |
| 50 | Pyrus coronaria, | 3 to 4 ft. | 2.50 |
| 50 | Pyrus floribunda, | 3 to 4 ft. | 2.50 |
| 25 | Pyrus floribunda, atrosanguinea, | 6 to 7 ft. | 5.00 |
| 50 | Pyrus floribunda, atrosanguinea, | 3 to 4 ft. | 2.50 |
| 100 | Pyrus Ionensis, Betchel's crab, | 2 to 3 ft. | 2.50 20.00 |
| 5 | Pyrus Niedwitskiana, | 6 to 7 ft. | 5.00 |
| 100 | Pyrus Niedwitskiana, | 3 to 4 ft. | |
| 11 | Pyrus Scheideckeri, | 4 ft. | 5.00 |
| 18 | Pyrus spectabilis, fl. pl. alba, | 4 to 5 ft. | 2.50 |
| 12 | Pyrus toringo, (pink) | 4 to 5 ft. | 2.50 |

This came to me from the Arnold Arboretum. It is identical with *Pyrus floribunda atrosanguinea*, and it is one of the best of all the flowering apples. Absolutely hardy. It has bloomed every year for the last ten years here.

| | | | |
|---|-------------------------------|------------|------|
| 5 | <i>Pyrus toringo</i> , white, | 3 to 4 ft. | 2.50 |
|---|-------------------------------|------------|------|

| | | Per 10 | Per 100 |
|-------|---|--------|---------|
| 600 | Pyrus Japonica, mixed colors, Japan Pear, 3 to 4 ft. | 1.00 | 8.00 |
| 50 | Pyrus Japonica, Japan Pear, Maulei, 2 to 3 ft. | 2.00 | 15.00 |
| 25 | Pyrus Japonica pigmæa, 12 to 18 in. | 3.00 | |
| 125 | Quercus palustris, 1 to 1½ in. caliper, | 7.50 | 70.00 |
| 140 | Quercus palustris, 6 to 8 ft. | 5.50 | 50.00 |
| 20 | Quercus prinus, 6 to 8 ft. | 5.00 | |
| 50 | Quercus rubra, 6 to 8 ft. | 6.50 | 60.00 |
| 60 | Quercus rubra, 5 to 6 ft. | 4.50 | 40.00 |
| 600 | Rhamnus catharticus, 2 to 3 ft. | .75 | 6.00 |
| 200 | Rhamnus frangula, 2 to 3 ft. | 1.25 | 10.00 |
| 100 | Rhododendrons, English Hybrids in var., 18 to 30 in., | 15.00 | 150.00 |
| 20 | Rhodotypos kerrioides, 4 to 5 ft. | 1.50 | |
| 800 | Rhodotypos kerrioides, 2 to 3 ft. | 1.25 | 10.00 |
| 150 | Rhus aromatica, 18 to 24 in. | 1.75 | 15.00 |
| 10 | Rhus copallina, 5 to 6 ft. | 2.00 | |
| 150 | Rhus copallina, 1 to 2 ft. | 1.50 | 12.00 |
| 10000 | Rhus copallina, collected, 1 to 2 ft. | | 4.00 |
| 20 | Rhus Cotinus (Smoke tree), 3 to 4 ft. | 2.50 | |
| 50 | Rhus Cotinus (Smoke tree), 2 to 3 ft. | 1.25 | 10.00 |
| 50 | Rhus typhina, 8 to 10 ft. | 2.50 | 20.00 |
| 100 | Rhus typhina, 4 to 5 ft. | 1.50 | 12.00 |
| 250 | Rhus typhina, 3 to 4 ft. | 1.25 | 10.00 |
| 300 | Rhus glabra, 2 to 3 ft. | 1.00 | 8.00 |
| 20 | Rhus Osbeckii, 2 to 3 ft. | 2.00 | |
| 100 | Ribes aureum, 3 to 4 ft. | 1.25 | 10.00 |

WILD ROSES.

| | | Per 10 | Per 100 |
|------|---|--------|---------|
| 50 | Rosa blanda, 2 to 3 ft. | 1.20 | |
| 800 | Rosa blanda fine, 18 to 24 in. | 1.00 | 8.00 |
| 800 | Rosa Carolina, 3 ft. | 1.25 | 12.00 |
| 500 | Rosa lucida, 2 to 3 ft. | 1.25 | 12.00 |
| 400 | Rosa lucida, 20 to 30 in. | 1.10 | 10.00 |
| 300 | Rosa lucida, 12 to 18 in. | 1.00 | 8.00 |
| 200 | Rosa lucida alba, 15 to 18 in. | 2.50 | 20.00 |
| 200 | Rosa multiflora, 2 to 3 ft. | 1.00 | 8.00 |
| 400 | Rosa multiflora, 18 to 24 in. | .75 | 6.00 |
| 200 | Rosa multiflora, dwf., hybrids, 15 to 18 in., single to double, pink to pure white, mixed, | 1.00 | 8.00 |
| 150 | Rosa nitida, 2 to 3 ft. | 1.25 | 12.00 |
| 150 | Rosa nitida, 18 to 24 in. | 1.10 | 10.00 |
| 1000 | Rosa rubiginosa, 2 to 3 ft. | 1.00 | 8.00 |
| 500 | Rosa rubiginosa, 18 to 24 in. | .75 | 6.00 |
| 50 | Rosa rubrifolia, 18 to 24 in. | 1.50 | 10.00 |

| | | Per 10 | Per 100 |
|-------------------------------|--------------|--------|---------|
| 150 Rosa rugosa, | 2 to 3 ft. | 1.25 | 10.00 |
| 200 Rosa rugosa | 18 to 24 in. | 1.00 | 8.00 |
| 200 Rosa rugosa, | 12 to 18 in. | .75 | 6.00 |
| 200 Rosa rugosa, alba, | 18 to 24 in. | 1.50 | 12.00 |
| 600 Rosa setigera, | 2 to 3 ft. | 1.25 | 10.00 |
| 1000 Rosa setigera, | 18 to 24 in. | 1.00 | 9.00 |
| 50 Rosa spinosissima, | 12 to 18 in. | 5.00 | |
| 300 Rosa Wichuriana, 2 years, | | 1.00 | 8.00 |
| 300 Rosa Wichuriana, 1 year, | | .75 | 6.00 |

1000 Rosa, Hybrid Perpetual, in the following var.,

| No. 1, 3 year, | 1.50 | 12.00 |
|-----------------------------------|---------------------------------|-------|
| Abel Carriere, velvety crimson. | Caroline Testout, satiny pink. | |
| Alfred Colomb, carmine. | Celine Forestier, light yellow. | |
| American Beauty, red. | Coquette des Alpes, white. | |
| Anna de Diesbach, pink. | Fisher Holmes, dark red. | |
| Baron de Rothschild, light rose. | Gen. Jacqueminot, dark red. | |
| Br. de Bonstette, rich maroon. | General Washington, crimson. | |
| Captain Christy, delicate rose. | Gloire Lyonnaise, light yellow. | |
| John Hopper, bright rose. | Mrs. John Laing, pink. | |
| Jules Magottin, bright rose. | Mrs. Charles Wood, crimson. | |
| La France, silvery rose. | Monsieur Boncenne, dark red. | |
| Magna Charta, pink. | Paul Neyron, dark rose. | |
| Mme. Gabriel Luizet, soft rose. | Persian Yellow. | |
| Margaret Dickson, white. | P. C. de Rohan, deep crimson. | |
| M. P. Wilder, carmine red. | Ulrich Brunner, cherry red. | |
| Mrs. R. G. Sharman Crawford, pink | Soleil d'Or, yellow. | |

| | | | |
|---------------------------|--------------|------|-------|
| 100 Rosa Mme. Plantier, | 2 to 3 ft. | 1.00 | 8.00 |
| 50 Rosa Mme. Geo. Bruant, | 12 to 18 in. | 2.00 | 15.00 |

CLIMBING ROSES.

| | | Per 10 | Per 100 |
|--|----------------|--------|---------|
| 20 Rosa Baltimore Belle | 3 to 4 ft. | 1.20 | |
| 300 Rosa Crimson, rambler, | 3 ft. | 1.50 | 12.00 |
| 250 Rosa Dawson, rose pink, | 20 to 30 inch. | 1.25 | 10.00 |
| 200 Rosa Debutante, soft pink, 2 yrs., | | 1.50 | 12.00 |
| 250 Rosa Debutante, soft pink, 1 yr., | | 1.25 | 10.00 |
| 125 Rosa Dorothy Perkins, pink, double, 1 yr., | | 1.25 | 10.00 |
| 200 Rosa Lady Gay, cherry pink, 2 yrs., | | 1.25 | 12.00 |
| 150 Rosa Lady Gay, cherry pink, 1 yr., | | 1.00 | 8.00 |
| 50 Rosa Prairie Queen, pink, | 2 to 3 ft. | 1.20 | |
| 150 Rosa W. C. Egan, white, 2 yrs., | 2 to 3 ft. | 1.25 | 12.00 |

| | | Per 10 | Per 100 |
|--|--------------|--------|---------|
| 300 Rosa Setigera and Wichuriana, shell pink, 2 yrs., | | | |
| | 2 to 3 ft. | 1.25 | 10.00 |
| The Setigera and Wichuriana is a hybrid of these two well known roses. It retains the good foliage and trailing habit of Wichuriana. The flower large, single, beautiful shell pink. This is one of the best new roses in this line and the price is not high. | | | |
| 150 Rosa Sweetheart, white, 2 yr. | 2 to 3 ft. | 1.25 | 10.00 |
| 300 Rosa Sweetheart, white, 1 yr. | | 1.00 | 8.00 |
| 100 Rosa Madam Norbert Levasseur, Baby Rambler, | | | |
| strong two yr. field grown plants, | 12 to 18 in. | 1.50 | 12.50 |
| 40 Rubus odoratus, | 2 to 3 ft. | 1.25 | 10.00 |
| 500 Salix alba, | 4 to 5 ft. | 1.75 | 15.00 |
| 500 Salix Babylonica (Wisconsin Weeping) | 6 to 8 ft. | 1.75 | 15.00 |
| 500 Salix Babylonica (Wisconsin Weeping) | 4 to 6 ft. | 1.25 | 10.00 |
| 100 Salix Caprea (Solomon's Palm) | 8 to 10 ft. | 2.00 | 15.00 |
| 150 Salix Caprea (Solomon's Palm) | 5 to 7 ft. | 1.50 | 12.00 |
| 125 Salix Britzensis, | 6 to 8 ft. | 2.50 | 20.00 |
| 1000 Salix Britzensis, | 4 to 5 ft. | 1.75 | 15.00 |
| 500 Salix pentandra, | 5 to 6 ft. | 1.25 | 12.00 |
| 1500 Salix pentandra (laurifolia) | 3 to 4 ft. | 1.00 | 8.00 |
| 50 Sambucus Canadensis, | 3 to 4 ft. | 1.25 | 10.00 |
| 200 Sambucus Canadensis, | 2 ft. | 1.00 | 8.00 |
| 500 Sambucus racemosa, | 2 to 3 ft. | 1.25 | 12.00 |
| 100 Spiraea Anthony Waterer, | 18 to 24 in. | 1.00 | 8.00 |
| 300 Spiraea Anthony Waterer, stocky, | 12 to 18 in. | .80 | 6.00 |
| 300 Spiraea arguta multiflora, | 3 ft. | 1.25 | 10.00 |
| 175 Spiraea arguta multiflora, | 18 to 24 in. | 1.00 | 8.00 |
| 50 Spiraea Billardii, | 3 to 4 ft. | 1.00 | 8.00 |
| 40 Spiraea Bumalda, | 3 ft. | 1.25 | 12.00 |
| 25 Spiraea Cantonensis fl. pl. (Reevesianna.) | 2 to 3 ft. | 1.25 | |
| 16 Spiraea discolor, var. ariæfolia, | 3 to 4 ft. | 2.50 | |
| 10 Spiraea Japonica (callosa) red, | 2 to 3 ft. | 1.00 | 8.00 |
| 150 Spiraea Japonica (callosa) red, | 18 to 24 in. | .75 | 6.00 |
| 200 Spiraea Japonica (callosa) white, | 10 to 12 in. | 1.00 | 8.00 |
| 150 Spiraea Thunbergii, | 2 ft. | 1.00 | 8.00 |
| 600 Spiraea Thunbergii, | 12 to 18 in. | .75 | 6.00 |
| 250 Spiraea Van Houttei, | 3 to 4 ft. | 1.00 | 8.00 |
| 700 Spiraea Van Houttei, | 2 to 3 ft. | .75 | 6.00 |
| 600 Spiraea Van Houttei, light, | 20 to 30 in. | .50 | 4.00 |
| 250 Stephanandra flexuosa, | 3 ft. | 1.25 | 10.00 |
| 500 Symphoricarpus racemosa, | 2 to 3 ft. | 1.25 | 10.00 |
| 500 Symphoricarpus racemosa, | 18 to 24 in. | 1.00 | 8.00 |
| 1500 Symphoricarpus vulgaris, | 2 to 3 ft. | 1.00 | 8.00 |
| 500 Symphoricarpus vulgaris, 1 yr., | | .50 | 4.00 |

| | | Per 10 | Per 100 |
|---|-------------------------------|--------|---------|
| 50 Syringa Japonica, Tree Lilac, | 8 to 10 in. | 5.00 | |
| 30 Syringa Japonica, Tree Lilac, | 3 to 5 ft. | 2.50 | |
| 30 Syringa Josikæa, | 6 ft. | 3.00 | |
| 50 Syringa Persica Saugeana, | 2 to 3 ft. | 1.75 | 15.00 |
| 30 Syringa Persica Saugeana alba, | 2 to 3 ft. | 1.75 | 15.00 |
| 50 Syringa Persica Rothamagensis, | 2 to 3 ft. | 1.75 | 15.00 |
| 50 Syringa villosa, | 2 to 3 ft. up. | 1.75 | 15.00 |
| 500 Syringa vulgaris, | 2 to 3 ft. | 1.00 | 8.00 |
| 400 Syringa vulgaris, | 12 to 18 in. | .75 | 6.00 |
| 75 Syringa vulgaris alba, | 3 to 4 ft. | 1.25 | 12.00 |
| 500 Syringa vulgaris alba, | 18 to 24 in. | 1.00 | 8.00 |
| 500 Syringa vulgaris in following named var., grafted on Syringa, stocky plants from 2 to 4 ft., accord- ing to variety, 5 years, | | 5.00 | 40.00 |
| Alexandre von Humboldt (double) | Mathieu de Dombasle (double), | | |
| Alphonse Lavalley (double) | Maxime Cornu (double). | | |
| Bertha Dammann. | President Carnot (double). | | |
| Lemoinei flore pleno (double). | Senator Volland (double). | | |
| Virginite (double). | Souvenir de L. Späth. | | |
| 200 Syringa vulgaris Alba Grandiflora, | 18 to 24 in. | 2.50 | 20.00 |
| 50 Syringa vulgaris Mme. Lemoinei, | 12 to 18 in. | 2.50 | 20.00 |
| 50 Tamarix Gallica, | 3 to 4 ft. | 1.00 | 8.00 |
| 50 Tilia Americana, | 6 to 8 ft. | 3.00 | |
| 100 Tilia Americana, | 5 to 6 ft. | 2.00 | 15.00 |
| 60 Tilia Europæa, | 1½ to 2 in. caliper, | 7.50 | |
| 100 Tilia Europæa, | 5 to 6 ft. | 2.00 | 18.00 |
| 200 Ulmus Americana, | 6 to 8 ft. | 2.50 | 20.00 |
| 150 Viburnum acerifolium, | 2 to 3 ft. | 2.50 | 20.00 |
| 10 Viburnum cassinoides, | 3 ft. | 2.50 | |
| 37 Viburnum cassinoides, | 18 to 24 in. | 1.75 | |
| 250 Viburnum cassinoides, | 12 to 18 in. | 1.50 | 12.00 |
| 150 Viburnum dilitatum, | 20 to 30 in. | 2.50 | 20.00 |
| 70 Viburnum dentatum, | 4 to 5 ft. | 2.00 | |
| 180 Viburnum dentatum, | 2 to 3 ft. | 1.25 | 10.00 |
| 800 Viburnum dentatum, | 18 to 24 in. | 1.00 | 8.00 |
| 250 Viburnum Lantana, | 3 to 4 ft. | 1.75 | 15.00 |
| 100 Viburnum Lantana, | 2 to 3 ft. | 1.25 | 10.00 |
| 200 Viburnum Lantana, | 1 to 2 ft. | .75 | 6.00 |
| 80 Viburnum lentago, | 12 to 20 in. | 1.25 | 10.00 |
| 1700 Viburnum molle, | 3 to 4 ft. | 1.25 | 12.00 |
| 400 Viburnum molle, | 2 to 3 ft. | 1.20 | 10.00 |
| 150 Viburnum opulus, | 3 ft. | 1.25 | 10.00 |
| 600 Viburnum opulus, | 2 to 3 ft. | 1.00 | 8.00 |
| 800 Viburnum opulus, | 18 to 24 in. | .75 | 6.00 |
| 100 Virburnum opulus sterilis, common snowball, | 3 to 4 ft. | 1.25 | 10.00 |

| | | Per 10 | Per 100 |
|-----|-----------------------------------|--------------|------------|
| 175 | <i>Viburnum plicatum</i> , | 20 to 30 in. | 2.50 20.00 |
| 10 | <i>Viburnum prunifolium</i> , | 3 to 4 ft. | 3.50 |
| 100 | <i>Viburnum pubescens</i> , | 20 to 30 in. | 2.00 |
| 50 | <i>Viburnum tomentosum</i> , | 20 in. | 2.00 |
| 100 | <i>Xanthorrhiza apiifolia</i> , | 8 to 10 in. | 1.25 10.00 |
| 200 | <i>Yucca filamentosa</i> , 1 yr., | | 1.00 8.00 |

VINES AND CLIMBERS.

| | | Per 10 | Per 100 |
|------|--|------------|------------|
| 100 | <i>Actinidia arguta</i> , 3 yrs., strong, | | 2.50 20.00 |
| 100 | <i>Akebia quinata</i> , 1 yr. | | 1.25 10.00 |
| 700 | <i>Ampelopsis quinquefolia</i> , strong, 3 yrs., | | 1.00 8.00 |
| 500 | <i>Ampelopsis quinquefolia</i> , strong, 1 yr., | | .60 5.00 |
| 700 | <i>Ampelopsis Veitchii</i> , 3 yrs., trans., twice, | | 1.25 10.00 |
| 100 | <i>Apios tuberosa</i> , | | .50 4.00 |
| 50 | <i>Arctostaphylos Uva—Ursi</i> , | | 2.00 |
| 50 | <i>Aristolochia siphon</i> , | 3 to 4 ft. | 5.00 |
| 1000 | <i>Bignonia radicans</i> , strong, 3 yrs., | | 1.00 8.00 |
| 300 | <i>Celastrus paniculata</i> , strong, | 3 to 4 ft. | 1.25 10.00 |
| 200 | <i>Celastrus scandens</i> , strong, | 2 to 3 ft. | 1.00 8.00 |
| 100 | <i>Clematis angustifolia</i> , 3 yrs., | 2 to 3 ft. | 1.25 10.00 |
| 200 | <i>Clematis apiifolia</i> , strong, | | 1.25 10.00 |
| | <i>Clematis Jackmanni</i> , | | 3.00 |
| | <i>Clematis Henryi</i> , | | 4.00 |
| 50 | <i>Clematis Mongolica</i> , 3 yrs., | | 2.00 15.00 |
| 200 | <i>Clematis paniculata</i> , 3 yrs., | | 1.25 10.00 |
| 500 | <i>Clematis paniculata</i> , 2 yrs., | | 1.00 8.00 |
| 50 | <i>Clematis Virginiana</i> , 1 yr., | | 1.00 8.00 |
| 100 | <i>Ipomæa pandurata</i> , Man of the Earth, (pieces) | | 1.25 12.00 |
| | <i>Ipomæa pandurata</i> , roots, 2 to 3 ft., \$1.50 to \$2.00 each | | |
| 300 | <i>Lonicera Japonica</i> , Halleana, 2 yrs., fine, | | 1.25 10.00 |
| 400 | <i>Lonicera Japonica</i> , Halleana, 1 yr., | | 1.00 8.00 |
| 25 | <i>Lonicera sempervirens</i> (Scarlet Trumpet), 2 to 3 ft. | | 1.50 |
| 50 | <i>Lonicera Sullivanti</i> (Yellow Trumpet), | 3 ft. | 1.50 |
| 400 | <i>Periploca Græca</i> , | 2 ft. | 1.00 |
| 1000 | <i>Vinca minor</i> , dble. blue and mixed, | | .75 5.00 |
| 20 | <i>Wistaria multijuga</i> , alba, strong, | 5 to 6 ft. | 5.00 |
| 200 | <i>Wistaria Sinensis</i> , strong, | 2 to 3 ft. | 2.50 20.00 |
| 10 | <i>Wistaria Sinensis alba</i> , | 4 to 5 ft. | 5.00 |

HERBACEOUS PERENNIALS.

| | | Per 10 | Per 100 |
|-----|--------------------------------------|--------|----------|
| 100 | <i>Achillea serrata</i> , The Pearl, | | .75 6.00 |
| 200 | <i>Agrostemma coronaria</i> , | | .60 5.00 |
| 500 | <i>Alyssum saxatile</i> , Gold Dust, | | .75 6.00 |

| | Per 10 | Per 100 |
|---|--------|---------|
| 500 <i>Althea rosea</i> , Hollyhocks, | 1.00 | 8.00 |
| 500 <i>Anthemis tinctoria</i> , | .50 | 4.00 |
| 200 <i>Aquilegia</i> , Columbines in variety, | 1.00 | 8.00 |
| 100 <i>Arundinaria Japonica</i> , | .75 | 6.00 |
| 50 <i>Arabis alpina</i> , | 1.00 | 8.00 |
| 200 <i>Armeria</i> , Thrift, | 1.00 | 8.00 |
| 200 <i>Asclepias tuberosa</i> , 2 yrs., | .60 | 5.00 |
| 500 <i>Asclepias tuberosa</i> , 1 yr., | | 3.00 |
| 500 <i>Aster Novæ-Angliæ purpurea</i> , | .60 | 5.00 |
| 500 <i>Aster Novæ-Angliæ</i> , var. <i>rosea</i> , | .60 | 5.00 |
| 500 <i>Astilbe Japonica</i> , clumps, | .50 | 4.00 |
| 200 <i>Boltonia asteroides</i> , | 1.00 | 8.00 |
| 50 <i>Boltonia latisquama</i> , | 1.00 | |
| 500 <i>Campanula medium</i> , Canterbury Bells, | 1.00 | 8.00 |
| 100 <i>Campanula persicifolia</i> , blue, | 1.00 | 8.00 |
| 100 <i>Cerastium tomentosum</i> , | 1.00 | 8.00 |
| 500 <i>Coreopsis grandiflora</i> , | .60 | 5.00 |
| 200 <i>Delphinium elatum</i> , Hybrid Larkspur, | 1.00 | 8.00 |
| 200 <i>Delphinium grandiflorum</i> , Chinese Larkspur, | 1.00 | 8.00 |
| 500 <i>Dianthus barbatus</i> , Swt. Williams, | 1.00 | 8.00 |
| 200 <i>Dicentra spectabilis</i> , Bleeding Heart, | 1.00 | 8.00 |
| 25 <i>Dictamnus Fraxinella</i> , red and white, | 1.50 | |
| 500 <i>Digitalis purpurea</i> , Foxglove in variety, | 1.00 | 8.00 |
| 100 <i>Epimedium</i> , red and yellow, | 1.00 | 8.00 |
| 100 <i>Funkia lancifolia</i> , | 1.00 | 8.00 |
| 100 <i>Funkia ovata</i> , | 1.00 | 8.00 |
| 100 <i>Funkia ovata marginata</i> , | 1.00 | 8.00 |
| 50 <i>Funkia Sieboldiana</i> , | 1.25 | 10.00 |
| 500 <i>Gaillardia grandiflora</i> , | .60 | 5.00 |
| 500 <i>Gypsophila paniculata</i> , | | 6.00 |
| 100 <i>Helenium autumnale</i> , | .60 | 5.00 |
| 100 <i>Helianthus Maximilianus</i> , | .60 | 5.00 |
| 200 <i>Helianthus mollis</i> , | .60 | 5.00 |
| 200 <i>Helianthus</i> , Miss Mellish, | 1.00 | 8.00 |
| 200 <i>Helianthus orgialis</i> , | 1.00 | 8.00 |
| 500 <i>Hemerocallis flava</i> , | .60 | 5.00 |
| 5000 <i>Hemerocallis fulva</i> , | .60 | 5.00 |
| <i>Hemerocallis fulva</i> , \$20.00 per 1000, | .40 | 3.00 |
| 200 <i>Hibiscus Moscheutos</i> , 2 yrs., | .60 | 5.00 |
| 200 <i>Iberis Gibraltica</i> , Hardy Candytuft, | 1.00 | 8.00 |
| 300 <i>Iris Germanica</i> , colors separate, | .75 | 6.00 |
| 300 <i>Iris Japan</i> or <i>Kämpfers</i> , colors separate, | .75 | 6.00 |
| 300 <i>Lathyrus latifolius</i> , rose, heavy, | .75 | 6.00 |
| 100 <i>Lathyrus latifolius</i> , white, | 1.00 | 8.00 |
| 100 <i>Liatris pycnostachya</i> (Kansas Gay Feather) | .75 | 5.00 |
| 500 <i>Liatris scariosa</i> , | .75 | 5.00 |

| | Per 10 | Per 100 |
|---|--------|---------|
| 200 <i>Lupinus polyphyllus</i> , | .75 | 6.00 |
| 100 <i>Lysimachia nummularia</i> , | .50 | 4.00 |
| 100 <i>Mertensia Virginiana</i> , Lung-wort, | 1.00 | 8.00 |
| 2000 <i>Mitchella repens</i> , Partridge Berry, sod, | .60 | 5.00 |
| 500 <i>Monarda didyma</i> , | 1.00 | 8.00 |
| 100 <i>Orobis vernus</i> , | 1.00 | 8.00 |
| 500 <i>Phlox paniculata</i> in following var. (decussata,) | 1.25 | 10.00 |
| Alhambra, pink, white center, | | |
| Aurora borealis, light crimson, | | |
| Beranger, salmon, shading to white, | | |
| Coquelicot, bright red, | | |
| Crepuscle, lilac, crimson center. | | |
| Esperance, lilac, | | |
| Fedora, large light pink, | | |
| Ferdinand Cortez, bright crimson, | | |
| Independence, pure white, large, | | |
| James Galloway, crimson, | | |
| Lumineux, large pink, center light, | | |
| LeFeu de Monde, salmon red, | | |
| Matador, orange, scarlet, red eye, | | |
| Michael Buckner, light pink, dark center, | | |
| Mme. Meuret, bright red, | | |
| Mme. P. Langier, salmon pink, | | |
| Ornament, large red, | | |
| Pantheon, salmon rose, | | |
| Wm. Muhle, large, salmon pink, | | |
| Saisons Liervol, white, pink eye, | | |
| <i>Phlox subulata</i> , atropurpurea, | 1.00 | 8.00 |
| <i>Phlox subulata</i> , light blue, | 1.00 | 8.00 |
| <i>Phlox subulata</i> , lilac, | 1.00 | 8.00 |
| <i>Phlox subulata</i> , white, | 1.00 | 8.00 |
| 100 <i>Platycodon grandiflora</i> , blue, | 1.00 | 8.00 |
| 100 <i>Platycodon grandiflora</i> , white, | 1.00 | 8.00 |
| 500 <i>Polygonum amplexicaule</i> , | .75 | 6.00 |
| 500 <i>Polygonum cuspidatum</i> , | .75 | 6.00 |
| 1000 Peonies, named var., | 2.00 | 15.00 |
| <i>Pyrethrum uliginosum</i> , | 1.00 | 8.00 |
| 500 <i>Rudbeckia</i> , Golden Glow, | .60 | 5.00 |
| 200 <i>Rudbeckia subtomentosa</i> , | 1.00 | 8.00 |
| 500 <i>Rudbeckia speciosa</i> , | .60 | 5.00 |
| 500 <i>Sabbatia chloroides</i> , | .50 | 5.00 |
| 1000 <i>Solidago</i> , Golden Rod, names not known, | .50 | 4.00 |
| 500 <i>Spiræa Filipendula</i> , | .50 | 4.00 |
| 100 <i>Spiræa palmata rosea</i> , | 1.00 | 8.00 |
| 200 <i>Spiræa palmata</i> var., elegans white, | 1.00 | 8.00 |
| 200 <i>Spiræa Ulmaria</i> , dble. white, | 1.00 | 7.00 |
| 100 <i>Vernonia Novaboracensis</i> , | 1.00 | 8.00 |
| 500 <i>Viola</i> , Schonbrunn, small plants, single, hardy, | .75 | 6.00 |

FRUIT TREES, GRAPES, SMALL FRUITS, ASPARAGUS AND RHUBARB.

APPLES, $\frac{3}{4}$ in. caliper,

5 to 7 ft. .25 each

Summer.

Early Harvest,

Tetofsky,

Red Astrachan,

Yellow Transparent,

Fall.

Gravenstein,

Porter,

Maiden's Blush,

McIntosh Red,

Winter.

Baldwin,

Northern Spy,

Wealthy,

Rhode Island Greening,

Fameuse,

Russet Golden,

Hubbardston,

Russet Roxbury,

Crab, Yellow and Red,

Talman Sweeting,

CHERRIES,

5 to 7 ft. .40 each

Black Tartarian,

Smith's,

Early Richmond,

Windsor, black,

May Duke,

Yellow Spanish,

Napoleon,

Each Per 10 Per 100

.15 1.30 10.00

GRAPES, two years,

Concord, black,

Perkins, white,

Early Ohio, black,

Agawan, red,

Moore's Early, black,

Brighton, red,

Wilder, black,

Delaware, red,

Niagara, white,

Salem, red,

PEACHES,

4 to 5 ft. .15 1.30 12.00

Belle of Georgia,

Crosby,

Carman,

Mayflower, 30 cents

Champion,

Mountain Rose,

Crawford's Early,

Old Mixon Free,

Crawford's Late,

Stump of the World,

Elberta,

Waddell,

Chairs Choice,

PEARS,

5 to 7 ft. .30 each

Beurre d'Anjou,

Lawrence,

Bartlett, 50 cents,

Louis Bonne de Jersey,

Beurre Bosc, 50 cents,

Osband's Summer,

Clapp's Favorite,

Seckel,

Duchess d'Angouleme,

Sheldon,

| | | | |
|---|----------------------|------|-------|
| PLUMS, European varieties, | 5 to 7 ft. | .30 | each |
| Coe's Golden Drop, | Lombard, | | |
| Bradshaw, | Washington, | | |
| German Prune, | Yellow Egg, | | |
| Green Gage, | | | |
| PLUMS, Japanese varieties, | 5 to 7 ft. | .30 | each |
| Abundance, | Red June, | | |
| Burbank, | Satsuma, | | |
| Chabot, | Wickson, | | |
| QUINCE, | 3 to 4 ft. | .30 | each |
| Champion, | Orange, | | |
| BLACKBERRIES, | | .40 | 3.00 |
| Kittatiny, | Snyder, | | |
| Leucetia (Dewberry), | | | |
| CURRENTS, 2 years, | | .75 | 6.00 |
| Black Naples, | Fay's prolific, red, | | |
| Cherry red, | White Grape, | | |
| GOOSEBERRIES, Downing, 2 years, | .15 | 1.30 | 10.00 |
| Industry, 2 years, | | 1.50 | 14.00 |
| RASPBERRIES, | | .40 | 3.00 |
| Cuthbert, | Miller's, | | |
| Blackcap, | | | |
| ASPARAGUS, Conover's Colossal, two years, | .15 | 1.00 | |
| RHUBARB, Linnæus, | .15 | 1.00 | 6.00 |
| STRAWBERRIES, Bubach, | .10 | .75 | |
| Excelsior, | .10 | .75 | |
| Marshall, | .10 | .75 | |
| Nich Ohmer, | .10 | .75 | |
| Minute Man, | .10 | .75 | |
| Splendid, | .10 | .75 | |

Fruits wanted in quantity can be furnished on all lists received before the middle of March. Prices will be quoted on any list of varieties calling for 100 or more Apples, 100 or more Peaches, etc., etc.

Varieties of fruits not offered in this list, we can obtain, at a reasonable price, when the order is received before the middle of March.

